



CENTRAL CAR CLEANING SYSTEM 8.5 (86.500)

Mains voltage	(V)	400
Nominal power	(kW)	8.5
Nominal current	(A)	18.2
Mains frequency	(Hz)	50
Circuit breaker	(A)	C32A
Intake port	(mm)	160
Max. vacuum	(Pa)	19000
Max. volume flow	(m³/h)	800
Sound pressure level LpA	(dBA)	75

_			· · · · ·
	Filter area	(m²)	16
	Number of filter elements	(units)	1
	Filter cleaning		Jet pulse
	Weight	(kg)	approx. 840
	Collecting container	(Litres)	200
	Dimensions (L x W x H)	(mm)	1,120 x 2,300 x 2,450
	Compressed air requirement at 6 bar	(l/min)	52
	Compressed air connection	(inch)	3/8"
	Max. number of suction points	(units)	8





ESTA PLUS

Area of application:

- Car interior cleaning
- Multi-station suction for up to 8 suction hoses

The benefits to you at a glance

- Very low maintenance requirements due to cyclone separation and fully automatic cleaning of the filter cartridge.
- High suction power thanks to a high-performance side channel compressor
- Ready for use immediately, quick and easy installation
- Low operating noise
- Low follow-on costs since only one filter cartridge is required
- High energy efficiency thanks to power-controlled operation via sensor transmitter and frequency inverter

Special feature:

- The cleaning system combines a filter unit, side channel compressor, and controls in a single compact unit
- All systems integrated in weatherproof housing with sound insulation.
- Fully automatic device and filter cleaning control
- Ideal addition to any car wash whether new build or replacing existing stand-alone extractors
- Dust-free dirt extraction thanks to mobile collection container with inlaid plastic bag
- Flap valve for connecting a suction hose up to ø 50 mm

State of the art: 86500-07-02 Subject to technical changes! ESTA experts will be happy to help if you have any questions. ESTA Apparatebau GmbH & Co. KG Phone +497307804-0

Gotenstraße 2–6 89250 Senden/GERMANY Fax +497307804-500 E-Mail info@esta.com

